



1614
p114
my's Docket No.: 10284-016001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Tayyaba Hasan et al. Art Unit : 1614
Serial No. : 09/586,235 Examiner :
Filed : June 2, 2000
Title : TREATMENT AND ANALYSIS OF PROLIFERATIVE DISORDERS

RECEIVED

NOV 29 2000

Commissioner for Patents
Washington, D.C. 20231

RECEIVED CENTER 1600/2900

INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the attached form PTO-1449, copies of which are enclosed. A copy of a Search Report received in the corresponding international application PCT/US00/15372 is also enclosed.

This statement is not to be interpreted as a representation that the cited references are material, that an exhaustive search has been conducted, or that no other relevant information exists. Nor shall the citation of any reference herein be construed *per se* as a representation that such reference is prior art. Moreover, Applicants understand that the Examiner will make an independent evaluation of the cited references.

This statement is being filed before the receipt of a first Office Action on the merits. Please apply any charges or credits to Deposit Account No. 06-1050.

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

November 20, 2000
Date of Deposit
Signature Sandra Shurtewant
Typed or Printed Name of Person Signing Certificate

Applicant : Tayyaba Ha et al.
Serial No. : 09/586,235
Filed : June 2, 2000
Page : 2

orney's Docket No.: 10284-016001



Date: Nov. 20, 2000

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110-2804
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

20160994.doc

Respectfully submitted,

Diane Collar Reg. No. 46,635
for Louis Myers
Reg. No. 35,965

RECEIVED

NOV 29 2000

TECH CENTER 1600/2900

RECEIVED

NOV 29 2000

TECH CENTER 1600/2900